پاسخنامه تشریحی زبان آزمون ارشد ۹۴-۹۳

Part One: Reading comprehension

Directions: Read the following passages carefully. Each passage is followed by some questions. Complete the questions with the most suitable words or phrases (a, b, c & d) below each one. Base your answers on the information given only.

Passage 1

Alternative medicine is, by definition, an alternative to something else: modern, Western medicine. But the term 'alternative' can be misleading, even off-putting for some people. Few practitioners of homeopathy, acupuncture, herbalist and the like regard their therapies as complete substitutes for modern medicine, Rather, they consider their disciplines as supplementary to orthodox medicine. The problem is that many doctors refuse even to recognize 'natural' or alternative medicine. This requires a radically different view of health, illness and cure. But whatever doctors may think, the demand for alternative form of medical therapy is stronger than ever before, as the limitations of modern medical science become more widely understood.

Alternative therapies are often dismissed by orthodox medicine because they are sometimes administered by people with no formal medical training. But, in comparison with many traditional therapies, Western medicine as we know it today is a very recent phenomenon. Until only 150 years ago, herbal medicine and simple inorganic compounds were the most effective treatments available. Despite the medical establishment's intolerant attitude, alternative therapies are being accepted by more and more doctors, and the World Health Organization has agreed to promote the integration of proven, valuable, 'alternative' knowledge and skills in Western medicine.

121 . According to the passage, conventional doctors reject alternative therapy since

- patients have not been satisfied with it
- b. its practitioners are sometimes not academically qualified
- it is rather off-putting and sometimes misleading
- d. it has failed to be beneficial

122 . According to the text, the term 'alternative' is

- a. increasingly established
- b. rather ambiguous
- c. appropriately defined
- d. quite comprehensive

123 . Few practitioners of alternative medicine think their therapies should

- a. be substituted for modern medicine
- be a complement to modern medicine
- be repeated by the medical establishments
- d. be refused by modern health care systems

124. Western medicine

- has approved many traditional therapy practices
- b. is comparatively a recent occurrence
- c. has its practitioners change their attitudes
- d. was derived from alternative medicine

مرکزتخصصی خدمات آموزشی گروه پزشکی فرهنگ گستر نخبگان

125. The World Health Organization

- a. is biased against alternative medicine
- b. has an intolerant attitude towards alternative medicine
- c. is going to train more alternative therapists
- d. approves of valid alternative medicine practices

Passage 2

The social determinants of health are the economic and social conditions – and their distribution among the population – that influence individual and group differences in health status. They are risk factors found in one's living and working conditions (such as the distribution of income, wealth, influence, and power), rather than individual factors (such as behavioral risk factors or genetics) that influence the risk for a disease, or vulnerability to disease or injury. According to some viewpoints, these distributions of social determinants are shaped by public policies that reflect the influence of prevailing political ideologies of those governing a jurisdiction. The World Health Organization says that "This unequal distribution of health damaging experiences is not in any sense a 'natural' phenomenon but is the result of a toxic combination of poor social policies, unfair economic arrangements [where the already well—off and healthy become even richer and the poor who are already more likely to be ill become even poorer], and bad politics."

126. It is understood that social conditions affect.......

- a. health status
- b. people distribution
- c. economic status
- d. individual factors

127. It is believed that are more influential than individual factors in increasing one's susceptibility to diseases.

- a. hereditary factors
- b. disparities in wealth distribution
- c. genetic abnormalities
- d. equitable sharing of wealth

128. Some scholars hold that one can judge the from the distribution of income, wealth and health among the members of a society.

- a. public police of the society
- b. prevailing individual factors
- c. governing body of the society
- d. behavioral risk factors

129. The World Health Organization warns against the


- a. toxicity threatening the poor
- b. individual experiences of the poor
- c. health status of the poor
- d. rich becoming more well-to-do

130. WHO considersas a threat to the health of the society.

- a. poisonous substances
- b. the sense of natural phenomena
- c. poor economic arrangements
- d. fair social policies

Passage 3

Previous studies on asthma suggested that antibiotics interfere with infants' beneficial gut bacteria, which cause a child to have an undeveloped immune system and become more susceptible to asthma. A new study has however shown that other factors increase asthma risk for children. The researchers looked at participants' medical records to determine their use of antibiotics and episodes of attacks of asthma. The researchers collected blood samples from 11-year-old children who had received at least one course of antibiotics or no antibiotics in their first year of life. In the first part of the study, the team found that infants who had wheezing and were treated with antibiotics before their first birthday were more than twice as likely to develop asthma attacks or severe wheezing, and had lower introduction of cytokines (immune cells that help fight infection), compared with children who were not treated with antibiotics before the age of 1. However, the researchers note that they found no association between early antibiotics prescription and increased risk of allergic reactions. In the second part, however, the team discovered two genes in the chromosome 17 region- known as 17q21 - that were linked to increased risk of antibiotic prescription in early life. Researchers speculate that hidden factors which increase the likelihood of both antibiotic prescription in early life and subsequent asthma are an increased susceptibility to viral infections due to impaired antiviral immunity and genetic variants on 17q21.



- a. antibiotics prescribed before the first birthday
- b. insufficiency of cytokines in the blood
- c. early-stage allergic reactionsd. acquired immunity

132 . Previously, it was believed that the main cause of episodes of asthma attacks was

- a. gut bacteria
- b. interference of antibiotics
- c. prenatal susceptibility to asthma
- d. congenitally undeveloped immune system

133 . We can conclude from the first part of the new study that

- a. first-year antibiotic prescription causes a genetic variation
- b. there is a link between early-life antibiotics use and subsequent asthma
- c. first-year antibiotic prescription is hardly related to cytokines in the blood
- d. there is a link between early-life antibiotics use and allergic reactions

134. Results of the second part of the study suggested a tie between genetic variants on 17q21 and the

- a. probability of antibiotic prescription by doctors in the child's first year of life
- b. underdevelopment of the immune system caused by lack of gut bacteria
- c. frequency of episodes of asthma attacks and wheezing during infancy
- d. allergic reactions not associated with antibiotic prescription in childhood

135. It is implied from the findings of the study that the best strategy in dealing with children who have taken antibiotics in their first year of life would be to

- a. enhance antibiotic prescription
- b. test them for allergic reactions
- c. have them genetically tested
- d. examine them for viral infections



مركز تخصصي خدمات آموزشي گروه پزشكي فرهنگ گستر نخبگان

Passage 4

A new study found that Americans who eat a diet low in potassium were about twice as likely to die from a heart attack, compared with those whose diets have high levels of the mineral. The study doesn't prove cause—and—effect, but it does suggest a role of potassium in health.

The same study also found that people who were deficient in potassium were about 50 percent more likely to die from any cause during the length of the study.


Now, how do we get enough potassium? Sodium and potassium perform many of the same functions in the body, but they do so in very different ways. It's important to maintain a balance between sodium and potassium in the diet, because sodium intake can affect potassium excretion, and vice versa. People who reduce their sodium consumption and increase their potassium intake benefit from improved blood pressure, and reduce their risk for developing other serious health problems.

	Bana more	nas have a reputa potassium, with	ation for their potassiu a whopping 694 milligu	m conte	nt; yet, sweet potate r serving.	es actually have
136.	a. b. c.	ng read the passa causes heart atta might be healthid is low in other m prevents myocar	er inerals	t a diet	high in potassium	
137.	Wen	nay infer that sor	ne Americans aren't ge	etting er	ough	
		to eat	b. sodium		minerals	d. potassium
138	Whe	n the body has a	high sodium intake, its	potassi	um intake might be	
		low	b. higher	c.	improved	d. maintained
139.	Wha	t the text recomm	ends to be consumed i	nore is		
		salt	b. bananas	C.	a certain vegetable	d. fresh processed foods
140.	a. b. c.	writer suggests w eat out have take-away eat home-made enjoy restaurant				
Part	Tw	o: vocabular	y			
Direc	tions:	Complete the fo	llowing sentences by ch	oosing	the best answer.	
141.		arms.				t of which being
	a.	adhesions to	b. remission of	C.	lacerations to	d. resistance of
142,			ld not be completely		though it was tempo	orarily relieved.
	a.	suppressed	 b. sustained 	c.	provoked	d. augmented



مركزتخصصي خدمات آموزشي گروه پزشكي فرهنگ گستر نخبگان

			_				ارغون بارساسي ارسا
143			٠	recovery; tha	it's why	she was never	able to walk properly after the
	8	. definite	b.	permanent		c. speedy	d. partial
144	. Th	e nurse-patient r lith care.	elationsh	ip is based on	the	that both a	re responsible in the process of
	a	- premise	b.	submission	39	c. curiosity	d. segregation
145	. The	doctor said ver	y little di	rectly, but a or	reat des	l hy	
	a	. intervention	b.	exploration		c. variation	d. implication
146	. The	best strategies n-care products.	to	sun-damag	ged skir	are to avoid d	irect sunlight and use special
	a	impair	b.	revitalize		degenerate	d. wreck
147		S aber te mit titt	s family e way alo	always asked ng.	him no	t to	They expected him to have a
		abide		persevere		. resist	d. surrender
148.		me, noute acci	goa omplish v	ls of starting r ery little.	new pro	jects and cutting	costs at the same time meant
	a.	homogeneous		incompatible	c	. harmonious	d. desirable
149,	Back	k pain is one of t	the least . d position	medic	al cond	itions because th	e back affects so much of the
	a.	contractible		considerable	c.	tangible	d. tolerable
150.	The	re are several ho	me	VON con no	to bal	the rash on the	
	a.	surgeries	b. i	nspectors	c to nei	devices	skin fade, d. remedies
151.	Kno	wledge of the co	ommon fo	ood allergens	and sy	mptoms of allers	gies is very essential because
		are very commo saving	n and 201	neumes can be	e me	******* *	
-2-2-20		5-2000 PE-200		upporting		threatening	d. assuring
152 .	C-0.75	TEN TE WWW.	he foot is	an extremely	painfu	l injury that leav	es you disabled for
	a.	temporarily	b. le	ongitudinally	c.	permanently	d. chronically
153 .		C. CARRIEDE	t patient:	s should incre	ase the	ir intake of flui	ds in order to help prevent
	a.	recreate	b. re	ecommend	c.	recover	d. reconvene
154 .	One	of the crucial pro	blems of	this contum is	the	made by fa	100 10
	a.	contribution	b. in	teraction	the	attention	
							d. pollution
155 .	Nowa medic	days, infant ine.	has	reduced, than	ks to th	e development n	nade in different branches of
	a.	survival	b. sa	nitation	c.	mortality	d. vitality
156	A few	basic categories	of molec	ules, formed f	rom a b	andful of differe	ent elements, all the
- 3		rammay richites	a or rorm	and penavior	ın iivin	g things.	, mi all
	a.	give rise to	b. m	ake up for		get rid of	d. get away with



مر کز تخصصی خدمات آموزشی گروه پزشکی فرهنگ گستر نخبگان

	When a child presents with atypical or multiple injuries, the possibility of child must be
157.	of prime consideration.
	a. trace
	b. cruelty
	c. abuse
	d. legality
158.	Approximately 3% of live born infants have a major congenital
	a. delivery
	b. colony
	c. delinquency
	d. anomaly
159 .	Despite the fact that hypertension is significantly related to coronary artery disease in
	individuals, population comparisons have not revealed the same of association.
	a, presence
	b. assertion
	c. incidence
	d. strength
160	. When a patient's communication is and not subject to reporting laws, a physician
100	should not disclose it.
	a. referential
	b. controversial
	c. essential
	d. confidential
	and the same of th
	موفق باشيه

Part one: Reading Comprehension

متن ۱

پزشکی جایگزین از نظر معنایی عبارت است از جایگزینی برای چیزی دیگر: پزشکی غربی مدرن.اما واژه جایگزین می تواند گمراه کننده باشد و یا حتی برای برخی مردم قابل درک نباشد.بسیاری از پزشکان هموپاتی،متخصصان طب سوزنی و گیاه شناسان و نظایر اینها به درمان های خود به مثابه جانشین کاملی برای پزشکی مدرن می نگرند و ترجیح می دهند از علمشان به عنوان مکمل طب مرسوم یاد کنند. مشکل این است که بسیاری از پزشکان ،پزشکی طبیعی یا جایگزین را به رسمیت نمی شناسند.این مساله مستلزم دیدگاهی متفاوت بنیادین به سلامتی ،بیماری و درمان است.اما علی رغم آنچه پزشکان فکر می کنند،تقاضا برای اشکال جایگزین درمان پزشکی از قبل شدید تر شده است و به همان نسبت محدودیت های علوم پزشکی مدرن به صورت گسترده تری درک می گردد.

درمان های جایگزین اغلب در پزشکی مرسوم رد می شود زیرا آنها گاهی توسط کسانی که هیچ آموزش پزشکی ندیده اند انجام می شود.اما در مقایسه با بسیاری از درمان های سنتی ، پزشکی غربی بدان صورتی که ما امروزه می شناسیم ، پدیده ای جدید است.تا ۱۵۰ سال قبل پزشکی گیاهی ترکیبات معدنی ساده موثرترین درمان موجود بود.علی رغم رویکرد بی ثبات پزشکی ، درمان های جایگزین توسط پزشکان بیشتری پذیرفته شده است و سازمان بهداشت جهانی ارتقا ی دانش و مهارت ثابت شده و ارزشمند پزشکی غربی را پذیرفته است.

۱۲۱. پاسخ گزینه b. طبق متن ، پزشکان پیرو سنت مرسوم درمان های جایگزین را رد می کنند زیرا........

a.بیماران از آن راضی نیستند

b.پزشکان آن گاهی شرایط علمی دانشگاهی ندارند

c. به نسبت درک نشده و گمراه کننده است

d.مفید نیست

۱۲۲.پاسخ گزینه b . طبق متن واژه "جایگزین "

a.به صورت فزاینده ای تصدیق شده است

b. به نسبت مبهم است

c. به صورت مناسبی معنا شده است

d. كاملا بسيط است.

۱۲۳. پاسخ گزینه $\, {f a} \,$. تعداد کمی از پزشکان طب جایگزین تصور می کنند که درمانهایشان باید......

a.جانشین طب مدرن باشد

b.مكمل طب مدرن باشد

c. توسط موسسات مدرن بازگو شود

d.توسط سیستم های بهداشت مدرن رد شود.

۱۲۴. یاسخ گزینه b یزشکی غربی.....

a. بسیاری از درمان های سنتی را پذیرفته است

به نسبت یک رویداد جدید است.b

c. پزشکانش در حال تغییر رویکردشان هستند

از طب جایگزین مشتق شده است.

a. علیه طب جایگزین متمایل شده است

b.روز کردی متغیر در برابر طب جایگزین دارد

c. پزشکان طب جایگزین بیشتری را تربیت خواهد کرد

d. رویه های معتبر طب جایگزین را قبول دارد

متن۲

عوامل تعیین کننده اجتماعی بهداشت ،شرایط اقتصادی و اجتماعی – و توزیع آن در میان جمعیت – است که بر وضعیت سلامتی افراد و گروه های مختلف تاثیر می گذارد. این عوامل خطر، در شرایط زندگی و کاری فرد (نظیر توزیع درآمد، ثروت ، نفوذ و قدرت) بیشتر از عوامل فردی (نظیر عوامل خطر پذیری رفتاری یا وراثت) یافت می شوند که بر ابتلای به بیماری ها یا آسیب پذیری در برابر بیماری یا جراحت تاثیر گذارند. بر اساس برخی دیدگا ه ها این توزیع عوامل تعیین کننده اجتماعی از طریق سیاست گذاری های عمومی که منعکس کننده نفوذ الویت های ایدئولوژی های سیاسی صاحب منصبان است شکل داده می شود. سازمان بهداشت جهانی می گوید که توزیع نابرابر تجربیات آسیب پذیری سلامتی به هیچ وجه یک پدیده طبیعی نیست اما متج از ترکیب زهرآگین سیاستهای اجتماعی ضعیف ، ترتیبات ناعادلانه اقتصادی (در جایی که ثروتمندان روز به روز غنی تر و فقرا روز به روز فقیر تر می شوند) و سیاست های غلط لست.

۱۲۶. پاسخ گزینه a این گونه دریافت می شود که شرایط اجتماعی بر موثر است.

a. وضعیت بهداشت

b.توزيع جمعيت

c.وضعیت اقتصادی

d.عوامل فردى

۱۲۷.پاسخ گزینه b متن معتقد است که موثر تر از عوامل فردی در افزایش آسیب پذیری در برابر بیماری ها است.

a. عوامل موروثي

b. تنوع در توزیع ثروت

مركزتخصصى خدمات آموزشي گروه يزشكي فرهنگ گستر نخبگان

c.ناهنجاریهای موروثی

d. تسهیم ثابت ثروت

۱۲۸. پاسخ گزینه c .برخی تحقیقات نشان می دهد که انسان می تواند در مورد.......... از توزیع در آمد، ثروت و بهداشت در میان اعضای یک جامعه قضاوت کند.

a. سیاست عمومی اجتماعی

b.عوامل ترجیحات فردی

c. مجموعه حکومت کننده بر جامعه

d. عوامل ریسک رفتاری

۱۲۹. پاسخ گزینه C . سازمان بهداشت جهانی علیه هشدار می دهد.

a. سوء درمان فقرا

b.تجربه فردی فقیر

c.وضعیت بهداشت فقیر

d.تروتمند غنی تر می شود

۱۳۰. پاسخ گزینه ${f C}$. سازمان بهداشت جهانی به به عنوان تهدید علیه بهداشت جامعه توجه می کند.

a. شرايط زهراگين

b. جنبه پدیده طبیعی

c. ترتیبات اقتصادی ضعیف

.d

متن۳

مطالعات گذشته در مورد آسم پیشنهاد می کنند که آنتی بیوتیک ها با باکتری های مفید روده مداخله می کنند که سبب می شود یک کودک سیستم ایمنی توسعه نیافته داشته باشد و در برابر آسم آسیب پذیر شود. اما یک تحقیق جدید نشان می دهد که عوامل دیگری خطر آسم کودکان را افزایش می دهد. محققان به مدارک پزشکی برای تعیین استفاده از آنتی بیوتیکها و اپیزودهای حمله آسم نگاه کردند. محققان نمونه خون کودکان ۱۱ ساله که حداقل یک دوره آنتی بیتیک را در سال اول زندگیشان دریافت کرده اند و آنها که دریافت نکرده اند را جمع آوری نمودند. در قسمت اول تحقیق، گروه دریافت کننده که نوزادانی که خس خس داشتند و قبل از یک سالگ با آنتی بیوتیک درمان می شدند در مقایسه با کودکانی که قبل از ۱ سالگی با آنتی بیوتیک درمان نشده بودند، دو برابر مورد حمله آسمی یا خس خس شدید قرار می گیرند و سطح پایینی از سیتوکین (سلول های ایمنی که برای نبرد با عفونتها کمک می کنند) داشتند. اما محققان توجه کردند که هیچ ارتباطی میان تجویز اولیه آنتی بیوتیک و واکنش های حساسیت زا وجود ندارد.ولی در قسمت دوم، گروه کشف کرد که دو ژن در منطقه

مركز تخصصي خدمات آموزشي گروه پزشكي فرهنگ گستر نخبگان

کروموزوم ۱۷ – که به عنوان 17q21 شناخته می شود – با افزایش خطر تجویز آنتی بیوتیک در سالهای اولیه زندگی پیوند می خورد. محققان فکر می کنند که عوامل پنهانی که شباهت تجویز آنتی بیوتیک در سالهای اولیه زندگی و شرایط آسم را افزایش می دهد به دلیل ایمنی ناهمسان ضد ویروسی و تنوع ژنتیکی در 17q21 آسیب پذیری در برابر ویروس را افزایش می دهد.

۱۳۱. پاسخ گزینه a .محققان مطالعات جدید اشاره می کنند که آسیب پذیری آسم احتمالا از طریق است.

a. تجویز آنتی بیوتیک قبل از یک سالگی

b.کمبود سیتوکین در خون

c.واکنش های آلرژیک اولیه

d. به دست آوردن ایمنی

۱۳۲. پاسخ گزینه a . قبلا معتقد بودند که دلیل اصلی قسمت های مورد حمله آسم.......... بود.

a. باکتری های روده

b.مداخله آنتی بیوتیک

c.آسیب پذیری پیش زادی در برابر آسم

عدم توسعه مادرزادی سیستم ایمنی.d

۱۳۳. پاسخ گزینه $\, \, {f b} \,$. او قسمت اول تحقیقات جدید می توان نتیجه گرفت که..........

a. تجویز آنتی بیوتیک در سال اولی تولد به دلیل تنوع ژنتیکی است.

b.میان مصرف آنتی بیوتیک در سال اول تولد و اسم رابطه وجود دارد.

تجویز آنتی بیوتیک در سال اول تولد خیلی کم مرتبط با سیتوکین موجود در خون است.

d.میان استفاده آنتی بیوتیک در سال اول تولد و واکنش های آلرژیک رابطه وجود دارد.

۱۳۴. پاسخ گزینه a نتایج قسمت دوم تحقیقات معرف پیوند میان تنوع ژنتیکی 17q21 واست.. است.

a.احتمال تجویز آنتی بیوتیک توسط پزشک در سال اول تولد

bعدم توسعه سیستم ایمنی در نتیجه فقدان باکتری روده.b

تکرر قسمت ها مورد حمله اسم و خس خس در دوران نوزادی.c

واکنش های آلرژیک ارتباطی با تجویز آنتی بیوتیک در کودکی ندارد. ${
m d}$

۱۰ page با مطالعه جزوات نخبگان و برنامه ریزی رایگان توسط دکتر دعائی دیگر نیاز به هیچ کتاب و رفرنس دیگری ندارید ۱۲۹۳ ۲۰۲۸ ۲۱۱۹۰۲ ۲۲۲۷۰۰

www.nokhbegaan.com

مركزتخصصى خدمات آموزشي گروه يزشكي فرهنگ گستر نخبگان

شود	تسهيل	بيوتيک	آنتی	ئ.تحويز
- J	0-:	J	٠-ح	<i>プ</i> ・

b.آنها را برای واکنش های آلرژیک آزمایش کنند

c. به لحاظ ژنتیکی آزمایش شوند

برای عفونت ویروسی آزمایش شوند.d

متن۴

یک مطالعه جدید کشف کرد که امریکایی هایی که رژیم غذایی حاوی پتاسیم اندک دارند در مقایسه با کسانی که رژیم غذای حاوی مواد معدنی دارند دو برابر بیشتر در معرض بیماری های قلبی قرار دارند.این مطالعه علت و معلول را ثابت نکرده است اما به نقش پتاسیم در قلب اشاره کرده است.

همچنین مطالعه مشابهی کشف کرد که کسانی که کمبود پتاسیم دارند ۵۰٪ بیشتر بدون دلیل در طول مطالعه فوت کردند.اکنون چگونه می توانیم پتاسیم کافی را دریافت کنیم؟ سدیم و پتاسیم نقش مشابهی در بدن ایفا می کنند اما این کار را به طرق مختلفی انجام می دهند.دستیابی به تعادل میان سدیم و پتاسیم در رژیم غذایی مهم است زیرا جذب سدیم می تواند روی دفع پتاسیم اثر بگذارد و بر عکس.کسانی که مصرف سدیم خود را کاهش و از طریق افزایش فشار خون جذب پتاسیم را افزایش می دهند و خطر سایر بیماری های قلبی را کاهش می دهند.

موز به دارای پتاسیم زیادی است اما سیب زمینی شیرین پتاسیم بیشتری دارد چیزی در حدود ۶۹۴ میلی گرم در هر وعده.

۱۳۶. پاسخ گزینه d .با مطالعه متن ، ما می فهیم که یک رژیم غذایی با پتاسیم بالا......

a.سبب حمله قلبی می شود

b.ممكن است سالم تر باشد

c.سایر مواد معدنی را اندک دارد

dاز فرسودگی قلب جلوگیری می کند

۱۳۷. پاسخ گزینه $\, {f d} \,$.ما درمی یابیم که برخی امریکایی ها کافی دریافت نمی کنند

يتاسيم. $oldsymbol{c}$.سديم. $oldsymbol{c}$.سديم. $oldsymbol{c}$

۱۳۸. پاسخ گزینه a . زمانی که بدن جذب بالای سدیم دارد، جذب پتاسیمش............. می شود

a. يايين b بالاتر. c. بهبود

۱۳۹. پاسخ گزینه b .چیزی که متن پیشنهاد می دهد بیشتر خورده شود است.

a.نمک

b.موز

c.سبزیجات خاص

مرکزتخصصی خدمات آموزشی گروه پزشکی فرهنگ گستر نخبگان

		٥٠	d.غذاهای تازه طبخ شد
	اید بیشتر	.نویسنده پیشنهاد می کند ما ب	۱۴۰. پاسخ گزینه
			a.بيرون غذا بخوريم
		ىتە باشيم	b.غذاهای بیرون بر داث
		بم	عذاهای خانگی بخور.c
		ت ببريم	d.از غذای رستوران لذه
Part Two: Vocabulary			
ئيزهر دو بازو است.	حمله برداشت، مهمترین چ	. دختر جراحت وحشتناکی در	۱۴۱. پاسخ گزینه b
d.پایداری	c.دریدگی	b .بهبودی از	a.قبول الحاق
ىورت موقت فرونشانده شد.	با وجود این به ص	درد بیمار نم <i>ی</i> توانست کاملا.	۱۴۲. پاسخ گزینه a
d.تقویت شود	c.دامن زده شود	b .تقویت شود	a.فرو نشانده شود
، او هیچ گاه قادر به راه رفتن راحت	. یافت؛ این دلیلی است که	d .او تنها بهبودی	۱۴۳. پاسخ گزینه ا
			بعد از تصادف نبود.
d.نسبی	C.سریع	b دایمی	a.کامل
و در روند درمان مسئول هستند.	براست که هر د	ه . رابطه پرستار – بیمار مبتنی	۱۴۴. پاسخ گزینه a
d.منفک	<i>.</i> کمیاب	b . تفویض	a .فرضیه
داشت.	ت، اما ار تباط زیادی با	. دكتر خيلى غير مستقيم گف	۱۴۵. پاسخ گزینه d
d.مفهوم	C.تنوع	b . كاوش	a .مداخله
یده از خورشید اجتناب کردن از نور			
	وست است.	ستفاده محصولات مرافبت از پو	مستقیم خورشید و ا
ىان.d	فاسد شدن. c	b .زنده کردن دوباره	a زیان رساندن
نکند. آنها انتظار دارند او در	بشه از او می خواهند		
			طول راه روحیه مبارز
d.تسلیم	c.مقاومت	b .نگهداری	a .ایستادگی

با مطالعه جزوات نخبگان و برنامه ریزی رایگان توسط دکتر دعائی دیگر نیاز به هیچ کتاب و رفرنس دیگری ندارید ۱۲page ۲۱۲۱۹۰۲ خوات نخبگان و برنامه ریزی رایگان توسط دکتر دعائی دیگر نیاز به هیچ کتاب و رفرنس دیگری ندارید ۲۱۲۹۰۲ خوات دیگری ندارید ۲۱۲۹۰۲ مطالعه جزوات نخبگان و برنامه ریزی رایگان توسط دکتر دعائی دیگر نیاز به هیچ کتاب و رفرنس دیگری ندارید

مرکزتخصصی خدمات آموزشی گروه پزشکی فرهنگ گستر نخبگان

۱۴۸. پاسخ گزینه c . اهدافکمیته در اغاز کردن پروژه های جدید و کاهش هزینه ها در آن واحد بدان						
معنا بود که آنها خیلی کم انجام خواهند داد.						
d.مطلوب	c.هماهنگ	b .بى نظير	a .متجانس			
ر روی حرکات و جایابی	پزشکی است زیرا کم	. کمر درد یکی از کمترین شرایط	۱۴۹. پاسخ گزینه d			
			بدن بسیار تاثیر دارد.			
d.قابل تحمل	c.محسوس	b .قابل ملاحظه	a .قابل انقباض			
، به جای جوش استفاده	رد که شما می توانید برای کمک	.چندین خانگی وجود دار	۱۵۰. پاسخ گزینه d کنید.			
d.درمان ها	c.تدابیر	b .بازرسی	a .جراحی ها			
وزيرا آنها بسيار رايجند	و ضد آلرژی ها بسیار مهم است	آگاهی از غذاهای آلرژی زای معمول	۱۵۱. پاسخ گزینه c			
		گی راگی	و گاهی می توانند زند ً			
d.تضمین کنند	c.تهدید کنند	b.حمایت کنند	a .نجات می دهد			
چند هفته	ر دردناک است که شما را برای	. بریدگی رباط پا یک جراحت بسیا	۱۵۲. پاسخ گزینه a			
	A		ناتوان می کند.			
d.مزمن	c .دایمی	b .به صورت طولی	a . به صورت موقتی			
ور کمک به جلوگیری از	ن باید جذب مایعات را به منظو	ا .پزشكانكه بيمارا	۱۵۳. پاسخ گزینه b			
		ىند.	سنگ کلیه افزایش ده			
d. همایش دادن	.C.	b .پیشنهاد دادن	a.باز تولید کردن			
خانه ها است.	ایجاد شده توسط کارخ	.یکی از مهمترین مشکلات این قرن	۱۵۴. پاسخ گزینه d			
d.آلودگی	c.توجه	b .مداخله	a. سهم			
، در شاخه های مختلف	یافته است ، سپاس که پزشکی	.این روزها نوزاد کاهش	۱۵۵. پاسخ گزینه c			
			توسعه یافته است.			
d. انرژی	c. مرگ و میر	b . بهسازی	a. حيات			
۱۵۶. پاسخ گزینه b . تعداد کمی از گروه های بنیادین مولکولی از یک مشت عناصر متفاوت تشکیل شده است						
	کل و رفتار موجودات زنده .	ںکلیه غنی کردن شک	که به صورت غیر عادی			
d. دور می شود	c. از شرش خلاص می شود	b . تنظیم می کند	a. افزایش می دهد			
۱۵۷. پاسخ گزینه c .زمانی که یک کودک با جراحت غیر عادی یا چند وجهی مواجهه می شود ،						
	رد.	ئودک باید ابتدا مورد بررسی قرار گی	امکان ک			

مر کزتخصصی خدمات آموزشی گروه پزشکی فرهنگ گستر نخبگان

d. قانونی	c. تجاوز	b . ستم	a. ردیابی
موروثی مهمی هستند.	زنده متولد شده دارای	d .حدود ۳٪ نوزادان ز	۱۵۸. پاسخ گزینه
d. ناهنجاري	c. قصور	b . تجمع	a. تحویل دادن
حظه ای مرتبط با بیماری های شریان ن نداده است.		c . علی رغم این واقعیا ست ، ترکیب جمعیتی .	
d. تقویت	c. تلاقی	b . بيانيه	a. پیشگاه
نون نیست، یک پزشک نباید را فاش	هاراست و به گزارش قا ن	d . زمانی که ار تباط بی	۱۶۰. پاسخ گزینه کند.
d. محرمانه	c. ضروری	b . مباحثه ای	a. ارجاعی

مرکزتخصصی خدمات آموزشی گروہ پزشکی نخبگان دکتری تخصصے کارشناسے ارشد

زیر نظر دکتر دعائی ۲۱-۶۶۹۰۲۰۶۱-۶۶۹۰۲۰۳۸-۹۳۷۲۲۲۳۷۵۶ WWW.NOKHBEGAAN.COM